



Authorized Canadian Distributor of TAG Inc. Products

Tel: (800) 668-2668

Email: sales@comtest.ca

www.comtest.ca




Central Office Fans
DMS, GTD-5, DCO & More



Outside Plant Fans
Nortel OPAC / OPM,
Mesa Cabinets & More



New DMS Universal Trays
Nortel NT3X90AA/AB / AC / AF
• **NO** paddle sensors
• **NO** 24VAC Inverters



** Replaces 254A

Test Boards & Extenders
Test Kits & T1 Test Cords



Dumb Terminals
DMS RTIF/MAP, GTD-5,
Transport-DACS & More




Solid State Drives
Nortel Access Node OPC12/48,
DCO & More



NEBS Certified - Nortel Access Node (OPC12/48) Drive Solutions from TAG

NEW TAG SOLID STATE HARD DRIVES & TAPE DRIVES WITH NO MOVING MECHANICAL PARTS



TAG MODEL #	USED ON EXISTING NORTEL ACCESS NODE OPC12 / OPC48 MODULES
TSD-ANOC12-01	Solid State Replacement <u>Hard Drive</u> for Nortel Access Node (OPC12/R14) Used in MODULES NT7E24AA & NT7E24FA
TSD-ANOC48-02	Solid State Replacement <u>Hard Drive</u> for Nortel Access Node (OPC48/R17) Used in MODULES NT7E24AA & NT7E24FA
TSDT-ANOC-01	Solid State Replacement <u>Tape Drive</u> for Nortel Access Node Modules (OPC12/48) Used in MODULE NT7E24FA

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645


OSP Cabinet Replacement Fans

"OPAC / OPM"

PN # TF-NTOPAC
 48 Volt Replacement Fan for
Nortel Opac / OPM Cabinet
 w/ Round Weatherproof Connector

*(Replaces Nortel # A0381740 / # A33230 (-51)),
 Fits first generation
 Access Node 800A heat exchangers*

(fan only - use with existing guard grill)



**WEATHERPROOF
 CONNECTOR**
 on PN # TF-NTOPAC



Looking for fans w/ sealed 3 pin plugs?



(PN # TF-NTOPAC-04)



(PN # TF-NTOPAC-02)

Ordering Information:

TF-NTOPAC	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector <i>(Replaces Nortel # A0381740 / # A33230 (-51)), Fits first generation Access Node 800A heat exchangers</i>	Call for Pricing
TF-NTOPAC-3	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet - (not shown) w/ 3 Wire Open End (no connector) <i>(Splicing Replacement option for both Access Node 800A & OPAC Cabinets)</i>	
TF-NTOPAC-04	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug <i>(Used with NT7A6986 adapter)</i>	
TF-NTOPAC-02	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug <i>(Replaces Nortel # A0640820 / # A33230 (-51))</i>	
TFG-162KIT-01	Guard Grill Replacement Kit for Round 162mm Fans - (not shown) <i>(includes hardware)</i>	

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

TAG Refurbishing - Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB Fan Trays

OLDER NT8X06AB FAN TRAYS HAVE PADDLES THAT BEND & BREAK

TAG will UPGRADE your NT8X06AB fan tray
ELIMINATING THE NEED FOR PADDLES!



**REFURBISHED DMS OPM, NT8X06AB FAN TRAY *
WITH (4) NEW 48V FANS & NEW ALARM CONTROL BOARD**

*(FAN TRAY IS NOT INCLUDED)

**NEW FAN
ALARM
CONTROL
(NO PADDLES)**

**4
NEW
FANS**

**(1) Fan Alarm Control Board
w/ Mounting Bracket**



**(4) DMS OPM Fans
3 Wire, 48VDC**

Ordering Information:

**TFR-8X06ABT TAG Refurbishing -
Paddleless Alarm Conversion Upgrade for DMS OPM, NT8X06AB Fan Trays**

Includes: (1) Recycled NT8X06AB Fan Tray upgraded w/ (4) DMS OPM Fans - 3 Wire, 48VDC &
(1) Fan Alarm Control Board (no paddles needed) (includes mounting bracket)

**BEFORE ORDERING,
PLEASE CALL or EMAIL:**

856-753-8585
custsvcs@tagcords.com

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

OSP Cabinet Replacement Fans

"DMS-100 OPM BFU / DMS-1 URBAN"

(Not for use in Nortel Access Node Fan Trays)



PN # TF-DMS06

48V Replacement Fan for
Booster Fan Unit (BFU) found in
DMS-100 OPM Cabinets

w/ Power Prongs,
Unterminated Tach Lead
& (1) Butt Splice

DMS-100 OPM CABINET BOOSTER FAN UNIT (BFU) w/ EXISTING FANS



Also used in DMS-1
URBAN EMC RT BAY
(NT4A44AA fan unit)

Ordering Information:

TF-DMS06 **48V Fan for Booster Fan Unit (BFU)**
found in **DMS-100 OPM Cabinets**
w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice
(also used in DMS-1 URBAN EMC RT BAY (NT4A44AA fan unit))

Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

NEBS Certified - Stromberg Carlson DCO Drive Solutions from TAG

DCO MSDA 822010 CIRCUIT PACKS w/ EXISTING HARD DRIVE & TAPE DRIVE (w/ "MOVING PARTS")



NEW SOLID STATE DRIVES FROM TAG (INSTALLED ON EXISTING CIRCUIT PACKS)



Application:

TAG can **REPLACE** older or failing Hard (Disk) Drives & DAT Tape Drives on existing Stromberg Carlson DCO, MSDA 822010 circuit packs with **NEW** Solid State Drives.

TAG MODEL #	USED ON EXISTING MSDA (DISK) 822010 CIRCUIT PACK
TSD-DCO-01	Solid State Replacement Hard Drive used on: Stromberg Carlson DCO, MSDA (DISK) 822010-706, 4.5Gb
TSD-DCO-02	Solid State Replacement Hard Drive used on: Stromberg Carlson DCO, MSDA (DISK) 822010-716, 9Gb
TAG MODEL #	USED ON EXISTING MSDA (TAPE) 822010 CIRCUIT PACK
TSDT-DCO-01	Solid State Replacement DAT Tape Drive used on: Stromberg Carlson DCO, MSDA (TAPE) 822010, HECI: EGPQSXU1AB (typical) <i>Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04)</i>
TSDT-DCO-02	Solid State Replacement DAT Tape Drive used on: Stromberg Carlson DCO, MSDA (TAPE) 822010-726 <i>Includes: 4Gb Industrial Compact Flash Card (# TSD-CF-04)</i>

*Additional Compact Flash Cards are Available: **4Gb** (# TSD-CF-04), **8Gb** (# TSD-CF-08), **16Gb** (# TSD-CF-16), **32Gb** (# TSD-CF-32)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Stromberg Carlson DCO Replacement Fans




PN # TF-DCONHD-01
 48 Volt Replacement Fan for
DCO Non High Density CMF Bay
 w/ 2 Wire Open End (for splicing)
 (Black -48V, Red +48 Return)
Includes: Guard Grill & (1) Butt Splice



PN # TF-DCOMEF-01
 48 Volt Replacement Fan
 for **DCO MEF Bay**
 w/ 3 Wire Plug



PN # TF-DCO-02
 48 Volt Replacement Fan for
DCO CMF / DTF Bay
 w/ 3 Leads & Faston Connectors
(fan only - use with existing guard grill)



PN # TF-DCOCMF-01
 48 Volt Fan for
DCO CMF Bay
 w/ 3 Leads &
 Faston Connectors



PN # TF-DCODCF-01
 48 Volt Fan for
DCO DCF Bay
 w/ 3 Leads &
 Spade Lugs



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

New Replacement Dumb Terminals - Transport / DACS Equipment

NEW TERMINAL WORKS ON
Titan 5500, CS1, CS1L, DACS II, III, IV, Alcatel 1631 & HDSL
(Titan 5500 shown below)

REMOVE & REPLACE OLD / BROKEN CRTs



SPECIFICATIONS

- VT-100 COMPATIBLE
- RS-232 INPUT(S)
- PRINTER OUTPUT
- LOW POWER

Ordering Information:

TT-VT100S	Single Session Dumb Terminal - Transport includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Single Session Terminal Controller, (1) DB25M Gender Changer & (1) Quick Guide	Call for Pricing
TT-SCA1631	Single Session Dumb Terminal - 1631 DACS includes: (1) 17" Flat Screen Monitor, (1) Keyboard w/ 1631 labels, (1) Pre-configured 1631 Single Session Terminal Controller, (1) DB25M Gender Changer & (1) 1631 Quick Guide	
TT-DCT55	Dual Session Dumb Terminal - Titan 5500 includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Pre-configured Titan 5500 Dual Session Terminal Controller, (2) DB25F Gender Changers & (1) Titan 5500 Quick Guide	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

5ESS MCC Terminal w/ "Glass Printer" Feature

NEW "Glass Printer" Feature allows Capture of ROP & Scroll Reports

Benefits:

- CAPTURE SCROLLING REGION & ROP INFORMATION WITHOUT PAPER
- ELIMINATE OLD TERMINALS, READ ONLY PRINTERS & PAPER WASTE

OLD

NEW

(KEYBOARD FUNCTION TIPS)

SCRL ROP	PRTR ON/OFF	MCC GP
F10	F11	F12

GP = GLASS PRINTER

MCC VIEW

ROP PRINTER

SCROLL VIEW

ROP VIEW

Ordering Information:

TT-VT100DBS 5ESS MCC Terminal w/ "Glass Printer" Feature Call for Pricing
 includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
 (1) MCC Terminal Controller w/ Glass Printer (Capture Scroll & ROP),
 (2) # 400701, DB25M Gender Changers & (1) Quick Guide

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

GTD5 Terminal Replacements - Dual Session

Model:

TT-DCAG5



Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) TT-MTG5
(Vertical Mounting Kit)
- (1) Keyboard
- (1) Quick Guide
- (2) 400701,
(DB25M Gender Changer)



SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:



↑
Parallel *

* If a Serial Port is needed, please order the KIT -
(PN # TT-DCAG5-KIT1) which includes a Parallel to
Serial Adapter (PN # TT-PSA).

Ordering Information:

TT-DCAG5

Dual Craft Access System - GTD5

Call for Pricing

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide
(1) PN # TT-MTG5 (Vertical Mounting Kit) &
(2) PN # 400701 (DB25M Gender Changer)

TT-DCAG5-KIT1

Dual Craft Access System - GTD5 Kit

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(1) PN # TT-MTG5 (Vertical Mounting Kit)
(2) PN # 400701 (DB25M Gender Changer) &
(1) PN # TT-PSA**
(Parallel to Serial Printer Adapter w/ AC Power Pack) **not shown

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

GTD-5 Replacement Fans



"GTD-5"

PN # TF-GTD5-01
48 Volt Replacement Fan for
GTD-5 Fan Unit
w/ 5 Wire Plug

GTD-5 FAN UNIT



"GTD-5"

(60x25mm)



PN # TF-GTD5AG-01
(60x25mm) 48 Volt Replacement Fan for
AG Communications Unit in the GTD-5
w/ 3 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

PN # TF-MC225-01 *
(225mm) Heat Exchanger for
Mesa Cabinet (Top)

w/ Round Weatherproof Connector

Heat Exchangers are accessed through a panel on the solar shield (top / roof of cabinet)




** use with existing bracket*

► **Common Replacement for :** EBM R1G225-AC73-XX (where XX=36,38,39,52)
 EBM R1G225-AF11-XX (where XX=13,14)

► **Typically used in Mesa Type Cabinets:** (QTY of 1) in a Mesa 2 Cabinet
 (QTY of 2) in a Mesa 4 Cabinet (shown below)

TOP / ROOF (SOLAR SHIELD)
OF MESA CABINET w/ EXISTING HEAT EXCHANGER



MESA 4 CABINET (FRONT VIEW)

Ordering Information:

TF-MC225-01	(225mm) Heat Exchanger for Mesa Cabinet (Top) w/ Round Weatherproof Connector <i>(fan only - use with existing bracket)</i>	Call for Pricing
--------------------	--	-------------------------

TFCS-MESA246-12	Fan Controller Extension Cable, (12') <i>(not shown)</i> <i>(use w/ optional TAG Fan Environmental Control Unit (ECU), # TFC-MESA246-01) (not shown)</i>
------------------------	--

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

PN # TF-MC225-02 *
(225mm) Heat Exchanger for
Mesa Cabinet (Bottom)

w/ 4 Wire Plug

*** fan only, use with existing bracket -**

*(see ordering information below
 for KIT w/ fan & bracket)*



► **Common Replacement for :**

EBM R1G225-AC73-XX (where XX=36,38,39,52)

EBM R1G225-AE07-11 EBM R1G225-AG39-10

EBM R1G225-AF11-XX (where XX=13,14)


EBM R1F250-AQ00-XK EBM R1G225-AG15-AA

► **Typically used in Mesa Type Cabinets:**


(QTY of 1) in a Mesa 2 Cabinet

(QTY of 2) in a Mesa 4 Cabinet (shown below)

**INSIDE / BOTTOM VIEW OF MESA CABINET
 w/ EXISTING HEAT EXCHANGER**



MESA 4 CABINET (FRONT VIEW)



Ordering Information:

TF-MC225-02	(225mm) Heat Exchanger for Mesa Cabinet (Bottom) w/ 4 Wire Plug <i>(fan only - use with existing bracket)</i>	Call for Pricing
--------------------	--	-------------------------

TF-MC225-02-KIT	(225mm) Heat Exchanger Kit for Mesa Cabinet (Bottom) w/ 4 Wire Plug & Mounting Bracket	
------------------------	--	--

TFCS-MESA246-12	Fan Controller Extension Cable, (12') <i>(not shown)</i> <i>(use w/ optional TAG Fan Environmental Control Unit (ECU), # TFC-MESA246-01) (not shown)</i>	
------------------------	--	--


150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

The EXT-238K3 Kit is designed for technicians who test at T1 Line Repeater Housings, such as 818 apparatus cases. (see Fig. 1) The Kit Includes:



(1) 400210RD-03
Bantam to Bantam - Red, (3')



(1) 400210ARD-03
Bantam to Alligator Clips - Red, (3')



(1) 400210BK-03
Bantam to Bantam - Black, (3')



(1) 400210ABK-03
Bantam to Alligator Clips - Black, (3')

Ordering Information:

EXT-238K3

T1 Repeater Access Kit

Call for Pricing

includes: (1) EXT-238, (1) 400210RD-03, (1) 400210BK-03,
(1) 400210ARD-03, (1) 400210ABK-03 & (1) 600209

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645



(1) # TB-400B

HDSL Remote HRU-200/400 Mechanics w/ Bantam Jacks

Bell Sort Code # 102437NM



(1) # TB-3192B

3190/3192 Office Repeater Test Board w/ Bantam Jacks

Bell Sort Code # 102438NM



(1) # EXT-239E

T1 Line Repeater Access Board w/ Bantam Jacks

Bell Sort Code # 102439NM



(1) # 400210ARD-03

Bantam to Alligator Clips - Red , (3')

Bell Sort Code # 102440NM



(1) # 400210ABK-03

Bantam to Alligator Clips - Black , (3')

Bell Sort Code # 102441NM

Approx. Dimensions:
9" (H) x 16" (L)



(1) # 600209N, Carrying Case

Ordering Information:

KIT-TBORB-BC

Office Repeater Test Board Kit

includes: (1) TB-400B, (1) EXT-239E, (1) TB-3192B,
(1) 400210ARD-03, (1) 400210ABK-03 & (1) 600209N

Bell Sort Code #

102442NM

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

TAG DMS-100 3X9013 Universal Fan Tray

TFT-3X9013T

Universal 48VDC Fan Tray

- **No 24VAC Inverters**
(24VAC inverters cause heat concerns & major equipment failures)
- **No Mechanical Sensors**
(sensor paddles are known to bend & break)

INSTALLATION VIDEOS:




NT3X90AA/AB




NT3X90AC



NT3X90AF



- Connectorized Universal metal tray with Fan Alarm Board (no sensor paddles)
- Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units
- Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units
**(adapter cables are not used with NT3X90AC)*



Ordering Information:

<p>TFT-3X9013T</p>	<p>TAG Universal DMS-100 3X9013 Fan Tray Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes, (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug, (1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware, (1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide</p>	<p>Call for Pricing</p>
--------------------	--	--------------------------------

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645


DMS Terminal Replacements - Dual Session

Model:

TT-DCAP-DMSKIT



Kit Includes (TT-DCAP-DMSKIT):

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (2) 400700,
(DB25F Gender Changer) 
- (2) 400725SB2,
(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)



SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:



Parallel * * If a Serial Port is needed, please order a Parallel to Serial Adapter (PN # TT-PSA).

Ordering Information:

TT-DCAP-DMSKIT	Dual Craft Access System - DMS (Kit 1) includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Dual Session Dumb Terminal Controller, (1) Quick Guide, (2) PN # 400700 (DB25F Gender Changer) & (2) PN # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)	Call for Pricing
TT-DCAP-DMSKIT2	Dual Craft Access System - DMS (Kit 2) includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Dual Session Dumb Terminal Controller, (1) Quick Guide, (2) PN # 400700 (DB25F Gender Changer) (2) PN # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector) & (2) PN # 400725SBW** (Hardwire Adapter for 400725SB2) **not shown	
TT-DCAP	Dual Craft Access System - DMS includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Dual Session Dumb Terminal Controller, (1) Quick Guide & (2) PN # 400700 (DB25F Gender Changer)	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

TAG DMS DPCC Core Upgrade Solution


TAG DMS DPCC Core Upgrade Solution

- (1) **NEW** RTIF / MAP Terminal
- (2) **NEW** Compact Flash Drives
(Solid State - Replaces QIC)
- (4) **NEW** DPCC Blowers



TT-DCAP-DMSKIT

Dual Session Craft Access System - DMS Kit
(includes: Dual Session Terminal, Monitor, Keyboard,
(1) DB25F Null Adapter Cable, (2) DB25F Gender Changers
& (2) Current Loop Adapters)



DMS DPCC SLM Modules

TSDT-9X44AD-02 (COMPACT FLASH DRIVE)



COMPACT
FLASH DRIVE

DMS DPCC SuperNode Blowers

TF-DMSLGN5
DMS-100 DPCC
SuperNode Blower
"Squirrel Cage"
- Replacement -
w/ Internal Sensor



(use in NT9X01XX DPCC,
(replaces A0345301))

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group